

Mary Jane's Bakery FL
 Order No.: OFLMJB0917-0002671
 175 NW 14th Street
 Florida, 33136
 miamirave@gmail.com
 7869064599

Sample: SFLMJB0917-CVAP-0000600
 Unit Weight: 1.0000g , Sample Size for Testing: 1.0000 g
 Batch#: Miami Rave Super Lemon Haze
MMTC Information
 Cultivation Facility: , Processing Facility:

Miami Rave Super Lemon Haze
 Concentrates & Extracts, Vape



Results

204 mg/unit D8-THC	1.99 mg/unit CBN
0.00 mg/unit Total CBD	0.00 mg/unit Total THC
206 mg/unit Total Cannabinoids	

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Not Tested
Water Activity Not Tested	Foreign Matter Not Tested	Terpenes Not Tested
Contaminant Load Not Tested	Residual Solvents Not Tested	Mycotoxins Not Tested
Heavy Metals Not Tested	Pesticides Not Tested	Label Claim Not Tested



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
trevorh@actlab.com

2 of 2

Mary Jane's Bakery FL
Order No.: OFLMJB0917-0002671
175 NW 14th Street
Florida, 33136
miamirave@gmail.com
7869064599

Sample: SFLMJB0917-CVAP-0000600
Unit Weight: 1.0000g , Sample Size for Testing: 1.0000g
Batch#: Miami Rave Super Lemon Haze

Miami Rave Super Lemon Haze
Concentrates & Extracts, Vape



Cannabinoids

Tested

Sample Prep

Tech: 3445
SOP: SOP 417
Batch Number: WCNDFL-FL0918-0002662
Batch Date: 09/18/2024 15:30

Sample Analysis

Date/Time: 09/23/2024 14:56
Tech: 3445
SOP: SOP 417
Instrument: HPLC - 3013
Final Weight: 0.242 g
Dilution Factor for Sample: 2,051.5

Analyte	LOD (mg/g)	LOQ (mg/g)	mg/g	mg/unit	%
CBDV	0.322	0.977	ND	ND	ND
CBDa	0.322	0.977	ND	ND	ND
CBGa	0.322	0.977	ND	ND	ND
CBG	0.322	0.977	ND	ND	ND
CBD	0.322	0.977	ND	ND	ND
THCV	0.322	0.977	ND	ND	ND
THCVa			0.00	0.00	0.00
CBN	0.322	0.977	1.99	1.99	0.199
D9-THC	0.322	0.977	ND	ND	ND
D8-THC	0.322	0.977	204	204	20.4
CBC	0.322	0.977	ND	ND	ND
THCa	0.322	0.977	ND	ND	ND
CBCa			0.00	0.00	0.00
Total CBD			0.00	0.00	0.00
Total THC			0.00	0.00	0.00
Total Cannabinoids			206	206	20.6



Trevor Hamilton
Lab Manager

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.